

# Batteries + Chargers


Prices see [shop.griederbauteile.ch](http://shop.griederbauteile.ch)

<b>Silver Oxide Coin Cell Batteries 1.55V</b>	Page 2				
<b>Lithium Coin Cell Batteries 3V</b>	Page 3				
<b>Lithium Coin Cell Batteries (PCB Mount)</b>	Page 4				
<b>Lithium Power Modules</b>	Page 5				
<b>Backup Modules (Lithium)</b>	Page 5				
<b>NiCd Accumulators</b>	Page 6				
<b>NiMH Accumulators</b>	Page 6				
<b>Alkaline Batteries</b>	Page 7				
<b>Camera and Hearing Aid Batteries</b>	Page 7				
<b>Lead Acid Batteries</b>	Page 8				
<b>Accu-Pack for Laptops + Small Devices</b>	Page 8				
<b>Lithium Power Batteries</b>	Page 9				
<b>Battery Chargers</b>	Page 9				

**Silver-Oxide Coin Cell Batteries 1.55V**



**High Drain**



**Low Drain**



Order No	Rated Voltage	Capacity mAh	Diameter mm	Height mm	Application	Renata Type
WBR.335	1.55V	5	5.8	1.2	Low Drain	335
WBR.337		8	4.8	1.6	Low Drain	337
WBR.317		10	5.8	1.7	Low Drain	317
WBR.346		10	7.9	1.2	Low Drain	346
WBR.339		11	6.8	1.4	Low Drain	339
WBR.321		14	6.8	1.4	Low Drain	321
WBR.341		15	7.9	1.4	Low Drain	341
WBR.379		16	5.8	2.1	Low Drain	379
WBR.315		19	7.9	1.6	Low Drain	315
WBR.364		20	6.8	2.1	Low Drain	364
WBR.319		21	5.8	2.6	Low Drain	319
WBR.362		21	7.9	2.1	Low Drain	362
WBR.376		27	6.8	2.6	High Drain	376
WBR.377		28	6.8	2.6	Low Drain	377
WBR.373		29	9.5	1.6	Low Drain	373 SP
WBR.396		32	7.9	2.6	High Drain	396
WBR.397		32	7.9	2.6	Low Drain	397
WBR.370		38	9.5	2.1	High Drain	370
WBR.371		38	9.5	2.1	Low Drain	371
WBR.329		40	7.9	3.1	Low Drain	329
WBR.365		40	11.6	1.6	High Drain	365
WBR.366		40	11.6	1.6	Low Drain	366
WBR.392		45	7.9	3.6	High Drain	392
WBR.384		45	7.9	3.6	Low Drain	384
WBR.391		50	11.6	2.1	High Drain	391
WBR.381		50	11.6	2.1	Low Drain	381
WBR.399		55	9.5	2.6	High Drain	399
WBR.395		55	9.5	2.6	Low Drain	395
WBR.393		80	7.9	5.4	High Drain	393
WBR.309		80	7.9	5.4	Low Drain	309
WBR.380		80	9.5	3.6	High Drain	380
WBR.389		80	11.6	3.1	High Drain	389
WBR.390		80	11.6	3.1	Low Drain	390
WBR.394		84	9.5	3.6	Low Drain	394
WBR.344		105	11.6	3.6	Low Drain	344
WBR.350	105	11.6	3.6	High Drain	350	
WBR.301	120	11.6	4.2	Low Drain	301	
WBR.386	130	11.6	4.2	High Drain	386	
WBR.303	175	11.6	5.4	Low Drain	303 SP	
WBR.357	190	11.6	5.4	High Drain	357	

**Coin Cell Batteries Sorted by Size**

Order No	Ø in mm	Height in mm	Order No	Ø in mm	Height in mm	
WBR.337	4.8	1.6	WBR.373	9.5	1.6	
WBR.335		1.2	WBR.370		2.1	
WBR.317		1.7	WBR.371		2.6	
WBR.379		2.1	WBR.395		3.6	
WBR.319		2.6	WBR.399		1.6	
WBR.339	6.8	1.4	WBR.380		11.6	2.1
WBR.321		1.4	WBR.394			3.1
WBR.364		2.1	WBR.365			3.6
WBR.376		2.6	WBR.366			4.2
WBR.377		2.6	WBR.381			5.4
WBR.346	7.9	1.2	WBR.391	11.6		1.6
WBR.341		1.4	WBR.389			2.1
WBR.315		1.6	WBR.390			3.1
WBR.362		2.1	WBR.344			3.6
WBR.396		2.6	WBR.350			4.2
WBR.397		2.6	WBR.301		5.4	
WBR.329		3.1	WBR.386			
WBR.384		3.6	WBR.303			
WBR.392		3.6	WBR.357			
WBR.309		5.4				
WBR.393	5.4					

**Lithium Coin Cell Batteries 3V**



Order No	Rated Voltage	Capacity mAh	Ø in mm Minus	Ø in mm Plus	Height mm	Type
<a href="#">WBR.1216</a>	3V	25	10.6	12.5	1.6	CR1216
<a href="#">WBR.1025</a>		30	8.3	10	2.5	CR1025
<a href="#">WBR.1130</a>		40	8	11.6	3	CR1130
<a href="#">WBR.1220</a>		40	10.6	12	2	CR1220
<a href="#">WBR.1225</a>		48	10.6	12.5	2.5	CR1225
<a href="#">WBR.1616</a>		50	13.1	16	1.6	CR1616
<a href="#">WBR.1620</a>		68	13.1	16	2	CR1620
<a href="#">WBR.2016</a>		80	17.5	20	1.7	CR2016 MFR
<a href="#">WBR.1632</a>		125	13.1	16	3.2	CR1632
<a href="#">WBR.2025</a>		150	17.5	20	2.5	CR2025
<a href="#">WBR.2320</a>		150	19.1	23	2	CR2320
<a href="#">WBR.2320.IB</a>						CR2320.IB
<a href="#">WBR.2325</a>		190	20.5	23	2.5	CR2325
<a href="#">WBR.2032</a>		235	17.5	20	3.2	CR2032
<a href="#">WBR.2330</a>		250	20.5	23	3	CR2330
<a href="#">WBR.2430</a>		285	22	24.5	3	CR2430
<a href="#">WBR.3032</a>		500		30	3.2	CR3032
<a href="#">WBR.2450.IB</a>		500	22.3	24.5	5	CR.2450.IB
<a href="#">WBR.2450N</a>		540	22.2	24.5	5	CR2450N
<a href="#">WBR.2450N.IB</a>						CR2450N.IB
<a href="#">WBR.2477N</a>		950	22.2	24.5	7.7	CR2477N TS
<a href="#">WBR.2477N.IB</a>						CR2477.IB

**Lithium Coin Cell Batteries 3V**  
PCB Mounting Vertically



Order No	Rated Voltage	Capacity mAh	Ø in mm	Thickness in mm	Pins	Type
WBR.1025FV1	3V	30	10	2.5	2	CR1025FV-LF
WBR.1220FV		38	12.5	2	2	CR1220FV
WBR.1225FV		48	12.5	2.5	2	CR1225FV-LF
WBR.1616FV		50	16	1.6	2	CR1616FV-LF
WBR.1632FV		125	16	3.2	2	CR1632FV-LF
WBR.2320FV		150	23	2	2	CR2320FV-LF
WBR.2025RV				20	2.5	3
WBR.2325RV		190	23	2.5	3	CR2325RV-LF
WBR.2032RV		225	20	3.2	3	CR2032RV-LF
WBR.2430FV		285	24.5	3	2	CR2430FV-LF
WBR.2430RV				3	3	3
WBR.2450NFV		540	24.5	5	2	CR2450NFV-LF
WBR.2450NRV				5	3	3
WBR.2477NFV		950	24.5	7.7	2	CR2477NFV-LF
WBR.2477NRV				7.7	3	3

**Lithium Coin Cell Batteries 3V**  
PCB Mounting Horizontally



Order No	Rated Voltage	Capacity mAh	Ø in mm	Height in mm	Pins	Type
WBR.1216FH	3V	25	12.5	2.4	2	CR1216FH-LF
WBR.1220FH		38	12.5	2.8	2	CR1220FH-LF
WBR.1225FH		48	12.5	3.3	2	CR1225FH-LF
WBR.1616FH		50	16	2.4	2	CR1616FH-LF
WBR.2016FH		80	20	2.4	2	CR2016FH-LF
WBR.2016FH1				2.4	2	CR2016FH1-LF
WBR.2016RH				3.95	3	CR2016-MFR-RH
WBR.1632FH		125	16	3.9	2	CR1632FH-LF
WBR.1632FH1				3.9	2	CR1632FH1-LF
WBR.2025RH		150	20	4.85	3	CR2025RH
WBR.2025FH				3.3	2	CR2025FH-LF
WBR.2025FH1		165	20	3.3	2	CR2025FH1-LF
WBR.2325FH				190	23	3.3
WBR.2325RH		4.85	3			CR2325RH-LF
WBR.2032FH		225	20	3.9	2	CR2032FH-LF
WBR.2032RH				5.45	3	CR2032-MFR-RH
WBR.2032RH1				5.45	3	CR2032-MFR-RH1
WBR.2430FH		285	24.5	3.9	2	CR2430FH-LF
WBR.2430RH				5.45	3	CR2430RH-LF
WBR.2430RH1				5.45	3	CR2430RH1
WBR.2450NFH		540	24.5	5.8	2	CR2450NFH-LF
WBR.2450NRH				7.35	3	CR2450NRH-LF
WBR.2450NRH1				7.35	3	CR2450NRH1-LF
WBR.2477NFH		950	24.5	8.5	2	CR2477NFH-LF
WBR.2477NRH	10.05			3	CR2477NRH-LF	

**Lithium Power Module 3V**  
Horizontal Version




Order No	Rated Voltage	Capacity mAh	Dimensions in mm	Height mm	Decoupling Diodes	Renata Type
WBR.175-0	3V	235	22 x 22	8	without	175-0
WBR.175-0B		235	22 x 22	8	without	175-0B
WBR.250-00		285	30 x 30	10	without	250-00
WBR.250-0B		285	30 x 30	10	without	250-0B
WBR.250-1B		285	30 x 30	10	with	250-1B
WBR.500-1		540	30 x 30	10	with	500-1
WBR.1000-0		950	30 x 30	10	without	1000-0
WBR.1000-0B		950	30 x 30	10	without	1000-0B
WBR.1000-1		950	30 x 30	10	with	1000-1
WBR.1000-1B		950	30 x 30	10	with	1000-1B

**Lithium Power Module 3V**  
Vertical Version




Order No	Rated Voltage	Capacity mAh	Dimensions in mm	Height mm	Decoupling Diodes	Renata Type
WBR.338A	3V	48	13.5 x 15	5	without	338A
WBR.175-2		235	25 x 24	8.5	with	175-2
WBR.250-2		285	30 x 29	11	with	250-2
WBR.250-3		285	30 x 29	11	without	250-3

**Backup Module**




Order No	Rated Voltage	Capacity mAh	Size	Ø in mm	H in mm	Type
WBE.3V0	3V	950	Mignon 3-pin	14.75	25.1	CR1/2AA-SLF
ER22G68	3.6V	400	BEL	22.5	6.8	ER22G68
WBE.3SC		1200	1/2AA	25.4	14.5	ER3STC ER14250
WBE.3AX		1200	1/2AA P	23.9	14.5	ER3(4)AX ER14250
WBE.6TC		1800		50.5	14.5	ER6C(5)TC
WBE.6AX		2600	AA P	44.4	14.5	ER14505 P ER6C(4)AX
WBE.ER26500		8500	C	26.2	50	ER26500
WBE.ER34615DT		19000	D	32.9	61.5	ER34615
WBE.62P		6.8V	1800		61.3	39.3

**NiCd Accus**  
**Nickel-Cadmium**



Order No	Rated Voltage	Capacity mAh	Size	Ø in mm	H in mm	Type	
WBN.KR100L	1.2V	150	KR1/N/NCR1	11.5	30.5	Standard	
WBN.KR03		220	KR03/AAA/NCR03	11	46	Standard	
WBN.KR03L			KR03/AAA/NCR03			tagged	
WBN.N-100AAS		250	N100AAS 1/3AA	14.2	16.6	tagged	
WBN.Y110		250	1/3AA	14.5	17	tagged	
WBN.P425NH	4.8V	250		28 x 40	11	for cordless phones	
WBN.Y270	1.2V	270	2/3AA	14.5	30	tagged	
WBN.P4275Z	4.8V	270		28 x 56	14	for cordless phones	
WBN.P3285K	3.6V	280		50 x 50	9	for cordless phones	
WBN.Y500	1.2V	500	2/3A	17	28	tagged	
WBN.KR60L		650	N-650SC	22.5	26	tagged	
WBN.P3609Z	3.6V	750	70AAS3BMX	42 x 50	14	for cordless phones	
WBN.P4609Z	4.8V	750		50 x 56	14	for cordless phones	
WBN.KR100L	1.2V	1000	N-1000SCR	23	34	tagged	
WBN.KR120L		1200	N-1250SCRL	23	34	tagged	
WBN.HHR120AA		1220	4/5 AA HR15/43	14.5	43	tagged	
WBN.KR170L		1700	4/3A	17	67	tagged	
WBN.KR13L		1800	SC	22.2	43	tagged	
WBN.KR14		2000		KR14/C/NCR14	25.7	50.5	Standard
WBN.KR14L				KR14/C/NCR14			tagged
WBN.KR20		4000		KR20/D/NCR20	32.7	61.3	Standard
WBN.KR20L				KR20/D/NCR20			tagged
WBN.KR70L		7000		F	32.7	92.1	tagged

**NiMH Accus**  
**Nickel-Metal-Hydride**



Order No	Rated Voltage	Capacity mAh	Size	Ø in mm	H in mm	Type
WBN.151	1.2V	70		15.5	6	V80H LF
WBN.V80H		80		16	6.5	V80H 3-pin
WBN.KR1L		500	N KR1 Lady	11.5	30.5	VR N HBG
WBN.NH03		700	AAA HR03 UM4	10.5	44.5	Ni-MH B4
WBN.NH03L		720	KR-AAA UM4 RC4	10.5	44.5	DHA800AAACS
WBN.NH03EVO		750	AAA HR03 2BL	10.5	44.5	AAA Evolta 2BL
WBN.NH06INF		1900	AA HR6 2BL	14.5	50.5	AA Evolta 2BL
WBN.NH200AL		2040	4/5A	17	43	tagged
WBN.NH210AL		2200	4/4A	17	50	tagged
WBN.NH6L		2500	AA HR6 R6	14.5	50.5	tagged
WBN.NH618		2600	AA HR6 UM3	14.5	50	Ni-MH B4
WBN.NH14		3500	C HR14 Baby	24.7	50	Ni-MH B2
WBN.NH380AL		3800	4/3A	17	67	tagged
WBN.NH20		10000	D HR20 R20	33.3	61.5	Ni-MH B1
WBN.2V80H		2.4V	70		16	12.5
WBN.ZN225P	250			26.8	14	2/V250H SK SC
WBN.GIG.E45	500			32 x 35	6	for cordless phones
WBN.3V80H2PIN	3.6V	70		16	18.5	3/V80H LPC 2-pin
WBN.3V80H		70		16	18.5	3/V80H-KM-SLF 3-pin
WBN.NH6LF22P	9V	170	9V-Block 6HR61	16.5 x 25.5	44.5	

**Alkaline Batteries**



Order No	Rated Voltage	Capacity mAh	Size	Ø in mm	H in mm	Type
WBA.LR9E	1.5V	180		15.5	6.1	EPX625G
WBA.LR50		380	LR50 PC1A	16.9	16.5	
WBA.LR61V		500	AAAA AM6 LR61	8.3	42.5	LR8D425
WBA.LR61E		600		8.2	40.2	E96
WBA.LR03E		1200	AAA AM4 LR03	10.5	44.5	E92
WBA.LR6E		2700	AA AM3 LR6	14.5	50.5	E91
WBA.LR14E		8000	C AM2 LR14	26.2	50	E93
WBA.LR20E		18000	D AM1 LR20	34.2	61.5	E95
WBA.LR20P		18000		34.2	61.5	LR20
WBA.3LR12E		4.5V	5400		22 x 62	67
WBA.PX23A	6V	170		15.3	20.5	U23PX
WBA.6LF22E	9V	600	6AM6 6LR61	17.5 x 26.5	48.5	522

**Camera and Hearing Aid Batteries**



Order No	Rated Voltage	Capacity mAh	System	Ø in mm	H in mm	Grösse/Typ
WBL.ZA5	1.4V	35	Zinc Air	5.8	2.1	ZA5
WBL.ZA10		80	Zinc Air	5.8	3.6	ZA10
WBL.ZA312		150	Zinc Air	7.9	3.6	ZA312
WBL.BR48E		230	Zinc Air	7.9	5.4	AC13E
WBL.ZA13		270	Zinc Air	7.9	5.4	ZA13
WBL.BR44E		540	Zinc Air	11.6	5.4	AC675E
WBL.ZA675		610	Zinc Air	11.6	5.4	ZA675
WBA.LR9E	1.5V	180	Alkaline	15.5	6.1	EPX625G
WBA.LR1E		760	Alkaline	12	30.2	E90
WBL.R6E		2600	Lithium	14.5	50.5	AA L91
WBL.R6PX		long life	Nickel Oxyhydroxide	14.5	50.5	AA ZR6/4BP
WBL.1E	3V	160	Lithium	11.6	10.8	2L76
WBR.2354		560	Lithium	23	5.4	CR2354
WBL.CR2E		750	Lithium	15.6	27	CR2
WBL.123E	3.6V	1200	Lithium	16.9	34.5	CR123A
WBE.ER14505		2400	Lithium	14.5	50.5	AA ER14505
WBA.4LR44E	6V	145	Alkaline	13	25.2	4LR44 A544
WBL.28E		160	Lithium	13	25.2	L544
WBS.4SR44E		190	Silver Oxyde	13	25.2	544
WBL.223E		1200	Lithium	19.5 x 35	36	CR-P2 EL223AP
WBL.245E		1300	Lithium	17 x 34	45	2CR5
WBL.223P		1400	Lithium	19.5 x 35	36	CRP2 CR-P2L
WBL.6LF22		9V	1200	Lithium	17.3 x 26.3	48.7
WBA.GP27	12V		Alkaline	7.7	28.2	VR27 GP27A
WBA.GP23		40	Alkaline	10	28.5	LR23 VR22
WBA.10LF15		40	Alkaline	16	35	V74PX 10LR42

**Lead Acid Batteries**



Order No	Rated Voltage	Capacity Ah	Length In mm	Width In mm	Height In mm	Weight In kg	Terminals
<a href="#">WBP.6.1A2</a>	6V	1.2	97	25	55	0.31	4.8mm Faston
<a href="#">WBP.6.3A</a>		3	134	34	64	0.57	4.8mm Faston
<a href="#">WBP.6.4A</a>		4	70	47	109	0.85	4.8mm Faston
<a href="#">WBP.6.7A</a>		7	151	34	98	1.32	4.8mm Faston
<a href="#">WBP.6.12A</a>		12	151	50	99	2.06	6.3mm Faston
<a href="#">WBP.12.A8</a>	12V	0.8	96	25	62	0.35	Cable with Plug
<a href="#">WBP.12.1A2</a>		1.2	97	48	55	0.57	4.8mm Faston
<a href="#">WBP.12.2A3</a>		2.3	178	34	64	1	4.8mm Faston
<a href="#">WBP.12.2A9</a>		2.9	80	55.5	98	1.2	4.8mm Faston
<a href="#">WBP.12.3A2</a>		3.2	134	67	64	1.17	4.8mm Faston
<a href="#">WBP.12.4AMOT</a>		4	114	70	105	1.54	Motorcycle Battery
<a href="#">WBP.12.4A</a>		4	90	70	106	1.7	4.8mm Faston
<a href="#">WBP.12.7A</a>		7	151	65	99	2.8	4.8mm Faston
<a href="#">WBP.12.12A</a>		12	151	98	99	4.09	6.3mm Faston
<a href="#">WBP.12.17A</a>		17	181	76	167	6.2	M5x10 Internal Thread
<a href="#">WBP.12.17CA</a>		17	181	76	167	6.2	M5 Screw /Nut
<a href="#">WBP.12.24A</a>		24	166	175	125	8.92	M5x10 Internal Thread
<a href="#">WBP.12.24AL</a>		24	166	175	125	9	M5x17 Screw /Nut
<a href="#">WBP.12.24CA</a>		24	175	166	125	9.2	M5 Screw /Nut
<a href="#">WBP.12.38A</a>		38	197	165	170	14.2	M5x10 Internal Thread
<a href="#">WBP.12.45YPC</a>		45	197	165	170	14.5	M6
<a href="#">WBP.12.65A</a>		65	350	166	174	22.82	M6x16 Internal Thread
<a href="#">WBP.SOL12.205A</a>		205	513	223	223	48	AGM Power Battery
<a href="#">WBP.SOL12.214A</a>		214	513	223	223	48	AGM Power Battery



**Lithium Power Batteries**  
**LiFePO4**



Order No	Rated Voltage	Capacity Ah	System	Ø in mm	H in mm
<a href="#">WBR.10.EZ32</a>	3.2V	10	LiFePO4	40.6	175
<a href="#">WBR.16.GP</a>	3.2V	18	LiFePO4	18 x 95	182
<a href="#">WBE.ER32L100</a>	3.6V	1.7	Li/SOC12	32.9	10.5
<a href="#">WBR.10.AK128</a>	12.8V	10	LiFePO4	82 x 82	175

**Battery-Chargers**



Order No	Voltage	Capacity	For Battery Types	Dimensions (mm)	Info	
<a href="#">GNP.S22409</a>	2-24V	0.9A	Lead Acid	88 x 51 x 34mm		
<a href="#">GNP.S0616</a>	6V	1.6A				
<a href="#">GNP.0615</a>	6.9V	1.5A				
<a href="#">GNP.S1205</a>	12V	500mA				
<a href="#">GNP.S1220</a>	12V	2A				
<a href="#">GNP.S1230</a>	12V	3 – 60Ah				
<a href="#">GNP.12100</a>	13.8V	10A				
<a href="#">GNP.S2405</a>	24V	0.5A				
<a href="#">GNP.S2408</a>	24V	1A				
<a href="#">GNP.PR1010</a>	12V/24V	10A			Hybrid (Gel or Acid)	187 x 96 x 44mm
<a href="#">BKM.M149</a>	12V	6A	1 rechargeable	72 x 50 x 42mm	Solar	
<a href="#">BKM.M174</a>	12V	16A	1 – 2 rechargeable	87 x 60 x 33mm	Solar	
<a href="#">GNN.PL5</a>			1-4 AA, AAA, C, D, 2x 9V			
<a href="#">GNN.TC4</a>			1-4 AA or AAA	113 x 69 x 38mm		
<a href="#">WBN.EGG-01</a>		2500mAh	1 oder 2 AA or AAA			
<a href="#">WBN.MSCAA</a>	1.2V	2500mAh	1-4 AA or AAA			
<a href="#">GNN.3255</a>	5.5V	450mA	2x AA or AAA		blue	
<a href="#">GNN.3059</a>	5.5V	450mA	2x AA or AAA		grey	
<a href="#">WBN.MSC815</a>	12V	5A	1-4 AA or AAA			
<a href="#">GNN.5001</a>	12V	800mA	Li-Ion rechargeable	118 x 68 x 29mm		
<a href="#">BKM.M172</a>	Fahrrad Dynamo		for small devices like netbooks, laptops, phones			
<a href="#">GNN.3930</a>	5.5V	500mA				blue
<a href="#">GNN.3933</a>	5.5V	500mA				black
<a href="#">GNN.3066</a>	5.5V	500mA				silver
<a href="#">GNN.3327</a>	5.5V	700mA				Solar, blue
<a href="#">GNN.3060</a>	5.5V	700mA				Solar, grey
<a href="#">GNN.3801</a>	5.5V	1000mA			150 x 83 x 14mm	
<a href="#">GNN.3234</a>	5.5V	1000mA			264 x 200 x 19mm	Solar, blue
<a href="#">GNN.3233</a>	5 – 24V	1000mA			215 x 130 x 17mm	
<a href="#">GNN.1505WL</a>	12V	5A		4x LiFe-PO4, Li Iron, Li Polymer	145 x 92 x 52mm	
<a href="#">GNN.1510WL</a>	12V	10A	LiFe-PO4, Li Iron, Li Polymer	170 x 90 x 50mm		
<a href="#">GNN.2410WL</a>	24V	10A	LiFe-PO4, Li Iron, Li Polymer	170 x 90 x 63mm		
<a href="#">GNN.LF2405</a>	24V	5A	LiFe-PO4, Li Iron			
<a href="#">WBN.MSC1LX</a>	3.6V – 7.4V	750mAh	Li-Ion camcorder + camera	w with cigarette adapter		