


Light Bulbs + Sockets





Prices see **Main Assortment**
shop.griederbauteile.ch 

Prices see **Treasure Trove**
shop.griederbauteile.ch 

E10, E12, E14 (Multi LED)	Page 2 – 4			
E27, Projector Light Bulbs, Ba7s, Ba9s, Ba15d, Ba20d	Page 5 – 7			
T ¾, T1, T1¼ + T1½ + T1¾	Page 8 – 13			
T5, Wedge Base, LED Lamps, Halogen Pilot Lamps	Page 14 – 15			
Festoon, Car Light Bulbs	Page 16			
Car Light Bulbs				
Telephone Lamps	Page 17 – 18			
Glow Lamps, Indicator Lights	Page 19			
Sockets for Light Bulbs	Page 19 – 21			

E10	Light Bulbs Spherical Shape				
Order No	Voltage	Current	Power	BaileyNo	
EBA.0110	1.5V	100mA	150mW	E24001090	
EBA.0210	2.5V	100mA	250mW	E24001100	
EBA.0230		300mA	750mW	E24002300	
EBA.0407	3.8V	80mA	266mW	E24003070	
EBA.0430		300mA	1140mW	E24003301	
EBD.05	4.8V	500mA	2.4W		
EBA.0605	6V	50mA	300mA	E24006050	
EBA.0610		100mA	600mW	E24006100	
19.06150		150mA	900mW		
EBA.0630		300mA	1.8W	E24006300	
86.0696	12V	1A	6V	Car bulb	
EBA.1205		50mA	600mW	E24012050	
EBA.1210		100mA	1.2W	E24012100	
EBA.1225		250mA	3W	E24012250	
EBA.2402	24V	20mA	480mW		
EBA.2405		50mA	1.2W	E24024050	
EBA.2412		125mA	3W	E24024125	
EBA.3602	36V	20mA	720mW		
EBA.3605		50mA	1.8W	E24036050	
EBA.3608		83mA	3W		
EBA.4802	48V	20mA	960mW		
EBA.4804		40mA	1.92W		
EBA.4806		63mA	3W		
EBA.6002	60V	20mA	1.2W		
EBA.6004		40mA	2.4W		

E10	Light Bulbs E10 Cylindrical Shape				
Order No	Voltage	Current	Power	BaileyNo	
EBB.0230	2.5V	300mA	850mW	E28002300	
HE0280850	2.8V Halogen	850mA	2.4W	HE0280850	
EBB.0406	4V	60mA	240mW		
EBB.0410		100mA	400mW	E28004100	
EBB.0430		300mA	1.2W	E28004300	
EBB.0460		600mA	2.4W	E28004600	
EBB.H0450	4V Halogen	500mA		Osram 6405730	
13.45150	4.5V	150mA			
EBB.0602	6V	20mA	120mW		
EBB.0603		30mA	180mW		
EBB.0605		50mA	300mW	E28006050	
EBB.0610		100mA	600mW	E28006100	
13.06180		180mA			
EBB.0630		300mA	1.8W	E28006300	
EBB.0650	7V	500mA	3W	E28006500	
EBB.0683		830mA	5W	E28006830	
EBB.0710		100mA	700mW	E28007100	
EBB.0730	12V	300mA	2.1W	E28007300	
EBB.1202		20mA	240mW	E28012020	
EBB.1205		50mA	600mW	E28012050	
EBB.1210		100mA	1.2W	E28012100	
EBB.1217	19V	170mA	2.04W	Osram 3453	
EBB.1225		250mA	3W	E28012250	
13.12950			5W		
13.19120	24V	120mA			
EBB.2402		20mA	480mW		
EBB.2405		50mA	1.2W	E28024050	
EBB.2408		80mA	1.92W	E28024080	
13.24080		80mA			
EBB.2412	28V	125mA	3W	E28024125	
13.24030			3W		
EBB.2805		50mA	1.4W	E28028050	
EBB.2810	36V	107mA	3W	E28028100	
EBB.3602		20mA	720mW		
EBB.3605		50mA	1.8W	E28036050	
EBB.3608	48V	83mA	3W		
EBB.4802		20mA	960mW	E28048020	
EBB.4804		40mA	1.92W	E28048040	
EBB.4806	60V	63mA	3W	E28048060	
EBB.6002		20mA	1.2W	E28060020	
EBB.6004		40mA	2.4W	E28060040	
EBB.6008			5W		



E10 Light Bulbs Spherical Shape (Torch Bulbs)				
Order No	Voltage	Current	Power	Dimensions
05.38300	3.8V	300mA		11 x 28mm
05.38301		300mA		
06.06930	6V		3W	15 x 27mm
				
E10 Intermittent Light Bulbs Spherical Shape				
Order No	Voltage	Current	Power	Dimensions
EBD.02	2.5V	300mA	750mW	15 x 29mm
EBD.03	3.5V	300mA	1050mW	
EBD.05	5V	500mA	2.4W	
EBD.06	6V	500mA	3W	
				
E10 Intermittent Light Bulbs Cylindrical Shape				
Order No	Voltage	Current	Power	Dimensions
EBF.02	2.5V	300mA	750mW	10 x 28mm
EBF.03	3.5V	300mA	1050mW	
EBF.05	5.3V	500mA	2650mW	
				
E10 Lenticular Light Bulbs 6/9 Bantam				
Order No	Voltage	Current	Power	BaileyNo
EBC.0122	1.2V	200mA	264mW	EL0120220
07.22180	2.2V	180mA		Philips 7067D
EBC.0220	2.5V	200mA	500mW	EL0250200
EBC.0230		300mA	750mW	EL0250300
EBC.0430	3.7V	300mA	1110mW	EL0370300
				
E10 Misc Light Bulbs				
Order No	Voltage	Current	Dimensions	Description
20.37300	3.7V	300mA	9.5 x 24mm	Osram 3644
86.06960	6V	1A/6W	15 x 28mm	Automotive bulb
12.60020	60V	20mA	98.5 x 23mm	Signal lamp
EBA.3403K	34V	3W	13.5 x 45mm	Candle shape
				
E10 Neon Glow Lamps				
Order No	Voltage	Colour	Description	
EBB.G110	110VAC		T3- 1/4 tubular 10x28mm	
70.12110			10x25mm	Bailey NE23110GC
70.13139			10x28mm	Bailey NE28110PC
EBB.G220	220VAC		T3- 1/4 10x28mm	
70.13224		white	10x28mm	
70.13226		yellow glass	10x28mm	
EBB.G220G		for green lenses	10x28mm	
70.13229		green plastic	10x28mm	
70.13223		blue	10x28mm	
70.13222		fluorescent red	10x28mm	
70.13227		red glass	10x28mm	
EBB.G380	380VAC		T3- 1/4 10x28mm	
70.12380			10x25mm	Bailey NE23380PC
70.13389			10x28mm	Bailey NE28380PC
70.13382		fluorescent red	10x28mm	
				
E12 Multi LED (with E12/15 Socket)				
Order No	Voltage	Colour	Dimensions	Type
85.9024G	24V	With 8 green LED	13 x 25mm	LD0807D24A
85.9024M		With 8 mixed		LD0807D24M
85.9024R		With 8 red LED		LD0807D24R
				
E10 Multi LED				
Order No	Voltage	Colour	Dimensions	
85.8824A	24V	With 8 yellow LED	11 x 20mm	
85.8824G		With 8 green LED		
85.8724G		With 8 green LED		
85.8824R		With 8 red LED		
				

E27 Incandescent Bulbs					
Order No	Voltage	Power	Dimensions	Description	
83.12915	12V	15W	40x64mm	Clear	
81.24940	24V	40W	60x105mm	Frosted	
81.48940	48V	40W	45x75mm	Clear	
83.12215	220V	15W	35x55mm	Frosted	
82.20960	220-230V	60W	Spotlight	Osram Concentra R63	
E27 LED Lamps + IR Reflector					
Order No	Voltage	Power	Dimensions	Description	
LED.8W W.E27B	230VAC	7.5W	60x120mm		
LED.13W W.D.E27B		12.8W	60x123mm		
89.22250	240VAC	250W		JDD250W photo studio flash tube	
89.22175	240VAC	175W	122 x 133mm	IR175R-PAR38	
Projector Light Bulbs					
Order No	Voltage	Current/Power	Dimensions	Description	
89.06080	6V	800mA	17.5x68mm	P28s Philips 3873C/23	
89.06145		1.45A	25x72mm	EKG Philips 3871R/23	
89.06500		5A	19x58mm	SX15s Philips 6103F	
HLX.64627	12V	100W	42x50mm	GZ6.35 Osram MR16	
87.20150	20V	150W	50x43mm	GX5.3 DDL Philips 1309	
87.36934	36V	340W	50x47mm	GX5.3 ERV GE 41874	
87.11975	110V	750W	38x141mm	P28 Seiko SP-12	
87.11910		1000W	38x141mm	P28 Seiko SP-12	
87.22976	220V	750W	38x141mm	P28 Seiko SP-12	
87.22910		1000W	38x141mm	P28 Seiko SP-12	
89.22500	250V	500W	40x210mm	Lohuis 51.40.996	

Ba7s		T2 Light Bulbs (Midget Bayonet 7x20mm)				
Order No	Voltage	Current	Power	Bailey No		
ECB.0225	2.5V	250mA	625mW	(B20002250)		
ECB.0425	4V	250mA	1W			
ECB.0605	6V	50mA	300mW	B20006050		
ECB.0610		100mA	600mW	B20006100		
ECB.0620		200mA	1.2W	B20006200		
ECB.0710	7V	100mA	700mW	B20007100		
ECB.1205	12V	50mA	600mW	B20012050		
ECB.1210		100mA	1.2W	B20012050		
ECB.1410	14V	100mA	1.4W	B20014100		
ECB.2402	24V	25mA	600mW	B20024025		
ECB.2405		50mA	1.2W	B20024050		
ECB.2802	28V	25mA	700mW	B20028025		
ECB.2805		50mA	1.4W	B20028050		
ECB.3602	36V	20mA	720mW	B20036020		
ECB.4802	48V	20mA	960mW	B20048020		
62.48050		50mA	(size 7x23mm)	B22048050		
ECB.6002	60V	20mA	1.2W	B20060020		
62.60020		20mA	(size 7x23mm)	B22060020		
T2	Ba7s Glow Lamps (Midget Bayonet 7x20mm)					
Order No	Voltage	Current	Size	Description		
ECB.G220	230V		7 x 22mm	Drop shape		

E5/8 + E5.5/16		Miniature Light Bulbs				
Order No	Voltage	Current	Socket	Size		
44.25250	2.5V	250mA	E5/8 LES	5.1 x 17.5mm		
44.25300		300mA				
44.25400		400mA				
44.03200	3.5V	200mA				
44.06020	6V	20mA	E5.5/16	6 x 21mm		
44.12060	12V	60mA	E5/8 LES	5.1 x 17.5mm		
44.12120		120mA	E5.5/16	6 x 21mm		
44.14000	14V	?	E5/8 LES	5.1 x 17.5mm		
44.14040		40mA				
44.24050	24V	50mA	E5.5/16	6 x 21mm		
44.24060		60mA	E5/8 LES	5.1 x 17.5mm		
E14	Incandescent Bulbs					
Order No	Voltage	Current	Size	Description		
76.06180	6V	180mA	13x30mm			
83.06945		4.5A	35x67	Spherical shape		
79.06950		5W	16x54mm			
79.12950	12V		16x54mm			
79.24450	24V					
79.24950		16x54mm				
83.24911		10W	26x54mm	Tapered shape		
78.036005	36V	5W	16x35mm			
76.48930	48V	3W	13x30mm			
79.48950		5W	16x54mm			
79.60950	60V	5W	16x54mm			
79.60911		10W	16x54mm			
83.22060		40W		Candle shape		
83.12925	110-120V	25W	26x54mm			
80.15010	150V	10W	26x52mm	Tapered shape		
78.260007	220-260V	5-7W	16x35mm			
80.26057			16x48mm			
80.26071			16x48mm			
83.26097		7-10W	26x52mm	Tapered shape		
83.26096			22x48mm	Tapered shape		
83.22910		10W	22x60mm			
83.26099		10-15W	22x48mm	Tapered shape		
83.22016			26x60mm	Tapered shape		
89.22015		220V	15W	22x50mm	Oven light 300°C	
83.22910		220-240V	20W	25x70mm		
83.22921	25x70mm			Oven light 300°C		
83.22925	220-230V	25W	25x62mm			
89.22025	240V		25x56mm	Oven light 300°C		
89.22940	220-230V	40W	45x75mm	Oven light 300°C		
83.22940			25x68mm			
82.20940				Concentra R50		
E14	Glow Lamps					
Order No	Voltage		Size	Description		
70.76226	220V		13x30mm	yellow		
70.76221			14x30mm	Fluorescent green		
70.79222			16x54mm	Fluorescent red		
70.76381	380V		14x30mm	Fluorescent green		

Ba9s					
Light Bulbs (Miniature Bayonet T3-1¼)				8.5x23mm	10x28mm
Order No	Voltage	Current	Power	Dimensions	Description
ECA.0130	1.5V	300mA	450mW	10x28mm	
ECA.0230	2.5V	300mA	750mW	10x28mm	
ECA.0406	4V	60mA	240mW	10x28mm	
ECA.0410		100mA	400mW	10x28mm	
ECA.0430		300mA	1.2W	10x28mm	
ECA.0460		600mA	2.4W	10x28mm	
ECA.0602	6V	20mA	120mW	10x28mm	
ECA.0605		50mA	300mW	10x28mm	
09.06070		70mA		8.5x23mm	
ECA.0610		100mA	600mW	10x28mm	
10.06200		200mA		10x28mm	
ECA.0650	6.3V	500mA	3W	10x28mm	
16.06950			5W	14x25mm	Spherical shape
10.63150		150mA		10x28mm	
ECA.0710	7V	100mA	700mW	10x28mm	
ECA.0730		300mA	2.1W	10x28mm	
ECA.1202	12V	20mA	240mW	10x28mm	
09.12050		50mA		8.5x23mm	
ECA.1205		50mA	600mW	10x28mm	
ECA.1210		100mA	1.2W	10x28mm	
ECA.1217		170mA	2.04W	10x28mm	
15.12922			2.2W	11x23mm	Spherical shape
ECA.1225		250mA	3W	10x28mm	
ECA.H1242			5W	9.3x33mm	Halogen
09..12906			6W	15x28mm	Car lamp
09.14080	14V			8.5x23mm	
ECA.1810	18V	100mA	1.8W	10x28mm	
ECA.2402	24V	20mA	480mW	10x28mm	
09.24025		25mA		8.5x23mm	
09.24050		50mA	1.2W	8.5x23mm	
ECA.2405		50mA	1.2W	10x28mm	
09.24080		80mA		8.5x23mm	
ECA.2408		80mA	1.92W	10x28mm	
09.24920			2W	8.5x23mm	Car lamp
09.24930			3W	8.5x23mm	Car lamp
ECA.2412		125mA	3W	10x28mm	
10.28910	28V		1W	10x28mm	
ECA.2805		500mA	1.4W	10x28mm	
09.28920			2W	8.5x23mm	
10.28920			2W	10x28mm	
ECA.2810		107mA	3W	10x28mm	
09.30050	30V	50mA	1.5W	8.5x23mm	
09.30920			2W	8.5x23mm	
09.30930			3W	8.5x23mm	
10.30930			3W	10x28mm	
ECA.3602	36V	20mA	720mA	10x28mm	
ECA.3608		83mA	3W	10x28mm	
ECA.4802	48V	20mA	960mW	10x28mm	
10.48025		25mA	1.2W	10x28mm	
ECA.4804		40mA	1.92W	10x28mm	
ECA.4806	60V	63mA	3W	10x28mm	
ECA.6002		20mA	1.2W	10x28mm	
10.60920			2W	10x28mm	
ECA.6004		40mA	2.4W	10x28mm	
10.13015	130V	15mA		10x28mm	
09.13020		20mA		8.5x23mm	
09.22093	220V		3W	8.5x23mm	
10.24093	240V		3W	10x28mm	









Ba9s			
Glow Lamps (Miniature Bayonet)			
Order No	Voltage	Dimensions	Description
ECA.G110	110V	10x28mm	with built-in pre-resistor
70.09110		10x25mm	Neon
70.10116		10x28mm	Neon
70.10112		10x28mm	Fluorescent red
70.09220	220V	10x25mm	Neon
ECA.G220		10x28mm	with built-in pre-resistor
70.10225		10x28mm	Fluorescent yellow
ECA.G220G		10x28mm	For green lenses
70.10229		10x28mm	Fluorescent green
70.10222		10x28mm	Fluorescent red
70.10224		10x28mm	Fluorescent white
70.10226		10x28mm	Yellow coloured glass
ECA.G380	380V	10x28mm	with built-in pre-resistor
70.09380		10x25mm	Neon








Ba9s		LED Lamps					
Order No	Voltage AC/DC	Dimensions	Type	Description			
85.8124A	24V	10 x 25mm	D803A24A	8 yellow LED		 ELF.2420	
85.8224A		10 x 25mm	LD803D24A	8 yellow LED			
85.8224G		10 x 25mm	LD803D24G	8 green LED			
85.8124G		10 x 25mm	LD803A24G	8 green LED			
ELF.2420		10 x 25mm		Current 20mA			
85.8224M		10 x 25mm	LD803D24M	8 mixed coloured LED			
85.8224R		10 x 25mm	LD803D24R	8 red LED			
85.8324A		11 x 20mm	LD804A24A	8 yellow LED			
85.8424G		11 x 20mm	LD804D24G	8 green LED			
85.8248A	48V	10 x 25mm	LD803D48A	8 yellow LED			
85.8248G		10 x 25mm	LD803D48G	8 green LED			
85.8248R		10 x 25mm	LD803D48R	8 red LED			
Ba15d		Light Bulbs (Double Contact Bayonet)					
Order No	Voltage	Power	Dimensions	Description			
86.06915	6V	15W	18 x 53mm	Car/vehicle light bulb		 Mirrored (M)	
74.12950	12V	5W	16 x 54mm				
72.12911		10W	18 x 37mm	Spherical shape			
83.12912		12W	35 x 60mm	Spherical shape			
89.12593	12.5V	3A	35 x58mm	Mirrored glass (M)			
75.24950	24V	5W					
89.24925		25W	39 x 63mm	Dr G Fischer vehicle light (M)			
89.24940		40W	39 x 63mm	Dr G Fischer vehicle light (M)			
74.36910	36V	10W	26 x 54mm				
74.60950	60V	5W	16 x 54mm				
75.80950	80V	5W	16 x 48mm				
74.13047	110V – 140V	4 – 7W	22 x 43mm				
75.13071		7 – 10W	16 x 48mm				
63896	110V	15W	22 x 57mm				
89.11530	115V	30W	40 x 60mm	Mirrored glass (M)			
Ba15d		Glow Lamps (Double Contact Bayonet)					
Order No	Voltage		Dimensions	Description			
70.74221	220V		16 x 52mm	Fluorescent yellow		 70.72380	
70.74222			16 x 52mm	Fluorescent red			
70.74220			16 x 52mm	Neon			
70.72380	380V		14 x 30mm	Neon			
Ba15s		Light Bulbs (Single Contact Bayonet)					
Order No	Voltage	Power	Dimensions	Description			
86.06910	6V	10W	13 x 34mm	Car/vehicle light bulb			
72.06910S		10W	18 x 35mm	Hama 3569			
83.06910		10W	25 x 42mm				
89.62940	6.2V	40W	39 x 61mm	Mirrored glass (M)			
73.07063	7V	630mA	18 x 35mm	Juke box bulb			
86.12919	12V	18W	25 x 48mm	Car/vehicle light bulb			
86.12921		21W	26 x 52mm	Vehicle bulb OSRAM 7506 P21W			
83.12903	12.6V	3A	35 x 60mm				
73.13059	13.5V	500mA	18 x 35mm	Pin ball bulb			
75.28921	28V	21W	16 x 52mm	Tapered bulb			
89.28926		26W	32 x 51mm	Mirrored glass (M)			
Ba20d		Light Bulbs (Double Contact Bayonet)					
Order No	Voltage	Power	Dimensions	Description			
89.69500	6V	5A	35 x 60mm	Colposcop OSRAM 8025			
83.24940	24V	40W	45 x 70mm				
89.40025	40V	25W	36 x 67mm	Traffic signalling bulb			

T ¾	MM3s6	Light Bulb (MMF Micro Midget Flange)				
Order No	Voltage	Current	Power	Schurter No		
EBX.0104	1V	40mA	40mW	No 0913.0001		
EBX.0205	2V	50mA	100mW	No 0913.0002		
EBX.0605	6V	50mA	300mW	No 0913.0006		
EBX.1205	12V	50mA	600mW	No 0913.0012		
26.14030	14V	30mA				
EBX.1603	16V	30mA	480mW	No 0913.0016		
EBX.2402	24V	20mA	480mW	No 0913.0024		
26.24040		40mA				
26.28020	28V	20mA				
26.28024		24mA				
					ESX.x are suitable lamp holders (see page 20)	
T ¾	WT	Light Bulbs (Wire Terminal)				
Order No	Voltage	Current	Power	Number		
EAW .0101	1.5V	15mA	23mW			
EAW .0502	5V	20mA	100mW			
EAW .0506		60mA	300mW			
24.05075		75mA		7133 USA		
EAW .0511		115mA	575mW			
24.24016	24V	16mA				
24.28040	28V	40mA				
T 1	SX4s	Light Bulbs (SMF Sub Midget Flange)				
Order No	Voltage	Current	Power	Number		
30.05020	5V	30mA				
30.05061		60mA		685 USA		
30.05115		115mA		718 USA		
30.06070	6V	70mA				
30.06200		200mA				
30.10027	10V	27mA		7240 USA		
30.12030	12V	30mA				
30.14065	14V	65mA		8112 USA		
30.18028	18V	26mA		7241USA		
30.24020	24V	20mA				
30.28024	28V	24mA		6839 USA		
30.28040		40mA				
30.36020	36V	20mA				
T 1	WT	Light Bulbs (Wire Terminal)				
Order No	Voltage	Current	Power	Number		
29.03015	3V	15mA		Bailey WE03030151		
EAX.0502	5V	20mA	100mW	862WL USA		
29.05030		30mA		Bailey WE03050301		
EAX.0508		60mA	300mW	Bailey WE03050601		
29.05075		75mA		Bailey WE03050751		
EAX.0511	10V	115mA	575mW	Bailey WE03051151		
EAX.1002		27mA	270mW	Bailey WE03100271		
EAX.1203	12V	30mA	360mW	Bailey WE03120301		
EAX.1206		60mA	720mW	Bailey WE03120601		
EAX.1404	14V	40mA	560mW	Bailey WE03140401		
EAX.1406		65mA	910mW	Bailey WE03140651		
EAX.1802	18V	26mA	468mW	Bailey WE03180261		
EAX.2402	24V	20mA	480mW	Bailey WE03240201		
EAX.2802	28V	24mA	575mW	Bailey WE03280241		
29.28040		40mA		Bailey WE03280401		
29.750NE	75VAC	200mA	Neon			

T 1	1.27mm BP	Light Bulbs (BP Bi-Pin with 1.27mm Pitch)			
Order No	Voltage	Current	Power	Number	
32.05061	5V	60mA		Bailey BP13050601	
32.05075		75mA		Bailey BP13050751	
32.05115		115mA		Bailey BP13051151	
32.10027	10V	27mA		8095 BP	
32.12030	12V	30mA		Bailey BP13120301	
32.12.060		60mA		Bailey BP13120601	
32.18026	18V	26mA		8099 BP	
32.24020	24V	20mA			
32.28024	28V	24mA		Bailey BP13280241	
32.36020	36V	20mA			
T 1	2.54mm BP	Light Bulbs (BP Bi-Pin with 2.54mm Pitch)			 EBP.xxxx 33.xxxx
Order No	Voltage	Current	Power	Number	
33.25040	2.5V – 3V	40mA			
33.05020	5V	20mA			
33.05060		60mA		Bailey BP23050601	
EBP.0611	6V	115mA		Bailey BP23061151	
33.12030	12V	30mA			
EBP.1206		60mA		Bailey BP23120601	
EBP.1802	18V	26mA		Bailey BP23180261	
EBP.2402	24V	24mA		Bailey BP23240241	
33.24035		35mA			
EBP.2802	28V	24mA		Bailey BP23280241	
EBP.3602	36V	20mA		Bailey BP23360201	
T 1	3.17mm BP	Light Bulbs (BP Bi-Pin with 3.17mm Pitch)			
Order No	Voltage	Current	Power	Number	
34.05075	5V	75mA			
34.10027	10V	27mA			
34.18026	18V	26mA			
34.24024	24V	24mA			
34.28024	28V	24mA		DE280120	
T 1 ¼	SM 5s/8	Light Bulbs (Special Midget Flange SMF)			
Order No	Voltage	Current	Power	Number	
43.12050	12V	50mA		Alba A66233	
43.14080	14V	80mA		8646	
43.16030	16V	30mA			
43.24020	24V	20mA			
43.24035		35mA			
43.28040	28V	40mA			
T 1 ¼	2.54mm BP	Light Bulbs (BP Bi-Pin with 2.54mm Pitch)			
Order No	Voltage	Current	Power	Number	
40.05060	5V	60mA			
40.06060	6V	60mA			
40.12040	12V	40mA		OL4032BPE	
40.16030	16V	30mA		A-7588-3D	
40.24035	24V	35mA			
40.28024	28V	24mA		DH-2801	
40.28040		40mA		BQ243-50103A-LX	
T 1 ¼	3.17mm BP	Light Bulbs (BP Bi-Pin with 3.17mm Pitch)			
Order No	Voltage	Current	Power	Number	
39.05060	5V	60mA			
39.12050	12V	50mA			
39.14081	14V	80mA		DI-140165	
39.28040	28V	40mA		DI-280202	

ESP are suitable lamp holders (see page 20)

T 1 ¼		WT T3.8		Light Bulbs (Wire Terminal)	
Order No	Voltage	Current		Number	
38.03530	3.5V	30mA			
38.11020	11V	20mA			
EAX.1210	12V	100mA		Bailey WE04121001	
38.15020	15V	20mA			
T 1 ¼		WT T4.2		Light Bulbs (Wire Terminal)	
Order No	Voltage	Current		Number	
42.05080	5V	60mA			
42.05115		115mA			
42.06030	6V	30mA			
42.06060		60mA			
42.16030		30mA			
42.18040	18V	40mA			
42.18041		40mA		AO-180160	
42.24035	24V	35mA			
42.24040		40mA			
42.28025	28V	25mA			
42.28040		40mA			
42.60020		20mA			
T 1 ¼		Light Bulbs (Special Screw Base)			
Order No	Voltage	Current		Number	
36.13560	1.35V	60mA		8641 SS USA	
36.03190	3V	190mA		325 USA	
36.12050	12V	50mA		(T4SS120050F)	
T 1 ¼		Light Bulbs (Special Screw Base)			
Order No	Voltage	Current		Number	
37.28040	28V	40mA		8623KS USA	
T 1 ½		E5		Light Bulbs (Lilliput Edison Screw LES)	
Order No	Voltage	Current	Size	Socket	  E5.5/16
44.25250	2.5V	250mA	5.7 x 17.5mm	E5/8 LES	
44.25300		300mA			
44.25400		400mA			
44.03015	3V	15mA	5.7 x 17.5mm	E5/8 LES	
44.03200	3.5V	200mA			
44.45200	4.5V	200mA			
44.06020	6V	20mA	6 x 21mm	E5.5/16	
44.06100		100mA	5.7 x 17.5mm	E5/8 LES	
44.12060	12V	60mA			
44.12120		120mA	6 x 21mm	E5.5/16	
44.14000	14V	40mA	5.7 x 17.5mm	E5/8 LES	
44.14040					
44.24050	24V	50mA	6 x 21mm	E5.5/16	
44.24060		60mA	5.7 x 17.5mm	E5/8 LES	
T 1 ½		W2x4,6d		Light Bulbs (Wedge Base)	
Order No	Voltage	Current	Power	Socket	 
ECC.0603	6V	30mA	180mW	Osram 2306	
ECC.0616		166mA	1W		
ECC.1203	12V	30mA	360mW	Osram 2322	
ECC.1208		83mA	1W	Osram 2321	
ECC.2403	24V	30mA	720mW	Osram 2342	
ECC.2404			1W	Osram 2341	
					EIB are suitable lamp holders (see page 20)


T 1 ½		Light Bulbs with Cable		
Order No	Voltage	Current	Length Cable	
35.06040	6V	40mA	255mm	
35.63040	6.3V			
35.12040	12V			
35.14040	14V			
35.24050	24V	50mA		
T 1 ½		WT T5.1	Light Bulbs (Wire Terminal)	
Order No	Voltage	Current	Dimension	
48.60050	60V	50mA	5.1 x 12mm	
T 1 ¾		SX6s	Light Bulbs (Midget Flange MF)	
Order No	Voltage	Current	Number	US Number
64.02040	2V	40mA		
64.25350	2.5V	350mA		
64.35200	3.5V	200mA		
64.05060	5V	60mA	Bailey MF06050602	7333 USA
64.05115		115mA	Bailey MF06051151	7335 USA
64.06040	6V	40mA	Bailey MF06060401	345 USA
64.06100		100mA	Bailey MF06061001	
64.63200	6.3V	200mA	Bailey MF06062002	381 USA
64.63265		265mA		
64.10014	10V	14mA	Bailey MF06100151	344 USA
64.10040		40mA	Bailey MF06100401	367 USA
64.12040	12V	40mA	Bailey MF06120401	394 USA
64.12060		60mA		726 USA
64.12100		100mA	Bailey MF06121001	727 USA
64.14080	14V	80mA		
64.18040	18V	40mA	Bailey MF06180401	370 USA
64.24025	24V	25mA	Bailey MF06240251	
64.24050		50mA	Bailey MF06240501	
64.24060		60mA	Bailey MF06240601	3226 USA
64.28025	28V	25mA	Bailey MF06280251	721 USA
64.28040		30mA	Bailey MF06280301	
64.28040		40mA	Bailey MF06280401	385 USA
64.28060		60mA	Bailey MF06280601	376 USA
64.28080		80mA	Bailey MF06280801	729 USA
64.32040	32V	40mA		
64.36020	36V	20mA	Bailey MF06360201	730 USA
64.36030		30mA	Bailey MF06360301	
64.48020	48V	20mA	Bailey MF06480201	3248 USA
64.48025		25mA	Bailey MF06480251	6848 USA
64.48030		30mA	Bailey MF06480301	723 USA
64.60020	60V	20mA	Bailey MF06600201	6195 USA
64.60030		30mA	Bailey MF06600301	734 USA
T 1 ¾		SX6s	Glow Lamps (Midget Flange MF)	
Order No	Voltage		Description	Number
64.220NE	220V		Neon	ORNSC3 ORNSC-3
T 1 ¾		MG	Glow Lamps (Midget Groove MG)	
Order No	Voltage		Description	Number
EBM.LED.24G	24 AC/DC		Green	












T 1 ¾ S5.7s Light Bulbs (Midget Groove MG)				
Order No	Voltage	Current	Number	US Number
65.13560	1.35V	60mA	Bailey MG06010601	698 USA
EBM.0235	2.5V	350mA	Bailey MG06023501	266 USA
65.27060	2.7V	60mA	Bailey MG06020601	8704 USA
65.05020	5V	20mA	Bailey MG06050201	FG23 USA
65.05080		60mA	Bailey MG06050601	7346 USA
65.05115		115mA	Bailey MG06051151	7348 USA
EBM.0610		100mA	Bailey MG06061001	
EBM.0620	6V	200mA	Bailey MG06062001	337 USA
EBM.0604		40mA	Bailey MG06060401	8705 USA
65.63040	6.3V	40mA	Bailey MG06060402	7351 USA
65.63075		75mA	Bailey MG06060751	8708 USA
EBM.1004	10V	40mA	Bailey MG06100401	397 USA
EBM.1204	12V	40mA	Bailey MG06120401	7354 USA
EBM.1210		100mA	Bailey MG06121001	
EBM.1402	14V	20mA	Bailey MG06140201	
EBM.1408		80mA	Bailey MG06140801	386 USA
EBM.1804	18V	40mA	Bailey MG06180401	346 USA
65.22040	22V	40mA	Bailey MG06220401	457 USA
EBM.2402	24V	25mA	Bailey MG06240251	890 USA
EBM.2405		50mA	Bailey MG06240501	
65.24060		60mA	Bailey MG06240601	
EBM.2802		25mA	Bailey MG06280251	719 USA
65.28030	28V	30mA	Bailey MG06280301	
EBM.2804		40mA	Bailey MG06280401	7355 USA
EBM.3603	36V	30mA	Bailey MG06360301	809 USA
65.48020	48V	20mA	Bailey MG06480201	805 USA
EBM.4802		25mA	Bailey MG06480251	2250 USA
65.48030		30mA	Bailey MG06480302	796 USA
EBM6002	60V	20mA	Bailey MG06600201	6201 USA
65.60030		30mA	Bailey MG06600301	735 USA






ESM.x ESW.xx

T 1 ¾ S5.7s Glow Lamps (Midget Groove MG)			
Order No	Voltage	Description	Number
EBM.G90	90V	without dropping resistor	
65.110NE	120V	Neon	Bailey NG16110GG
EBM.G220	220V	Built-in dropping resistor	Bailey NG16220GC

ESM.x + ESW.xx are suitable sockets for T1 ¾ light bulbs (see page 20)

T 1 ¾ S5.7s Multi LED Lamps (Midget Groove MG)			
Order No	Voltage	Description	Number
86.1212R	12V DC	With 6 red LED	LD0602D12R
86.1224A	24V DC	With 6 yellow LED	LD0602D24A
86.1224R		With 6 red LED	LD0602D24G
EBM.LED.24G	24V AC/DC	green LED	
EBM.LED38R		red LED	Bailey LG1601C28R



T 1 ¾ SX6s LED Lamps (Midget Flange MF)			
Order No	Voltage	Description	Number
86.1024A	24V DC	With 6 yellow LED	LD0601D24A
86.1024R		With 6 red LED	LD0601D24R




T 1 ¾ E5.5 Light Bulbs (Midget Screw MS)				
Order No	Voltage	Current	Number	US Number
67.25400	2.5V	400mA	Torch light bulb	
67.06040	6V	40mA	Bailey MS06060401	342 USA
67.06060		60mA	Bailey MS06060601	526 USA
67.06200		200mA	Bailey MS06062001	1768 USA
67.12100	12V	100mA		
67.14080	14V	80mA	Bailey MS06140801	8362 USA
67.18040	18V	40mA	Bailey MS06180401	8536 USA
67.24040	24V	40mA	Bailey MS06240401	686 USA
67.28040	28V	20mA	Bailey MS06280401	399 USA
67.28080		60mA	Bailey MS06280601	




ESM.x + ESW.xx are suitable sockets for T1 ¾ light bulbs (see page 20)

T 1 3/4	3.17mm BP	Light Bulbs (BP Bi-Pin with 3.17mm Pitch)		
Order No	Voltage	Current	Number	US Number
EBR.0235	2.5V	350mA	Bailey BP36023501	7868 USA
66.05060	5V	60mA		7360 USA
66.05115		115mA		
EBR.0604	6V	40mA	Bailey BP36060401	7945 USA
EBR.0610		100mA		
EBR.0620		200mA	Bailey BP36062002	7328 USA
66.63040	6.3V	40mA	Bailey BP36060402	7380 USA
66.63075		75mA	Bailey BP36060751	7377 USA
66.63200		200mA		7381 USA
66.10040	10V	40mA	Bailey BP36100401	7367 USA
EBR.1204	12V	40mA	Bailey BP36120401	7371 USA
EBR.1210		100mA		
EBR.1402	14V	20mA		
EBR.1408		80mA	Bailey BP36140801	7382 USA
EBR.1804	18V	40mA	Bailey BP36180401	7370 USA
EBR.2402	24V	25mA		
EBR.2405		50mA	Bailey BP36240501	7001 USA
EBR.2802	28V	25mA		
EBR.2804		40mA	Bailey BP36280402	7327 USA
66.28080		80mA		
66.30040	30V	40mA		
EBR.3603	36V	30mA		
66.48020	48V	20mA		
EBR.4802		25mA	Bailey BP36480251	7748 USA
EBR.6002	60V	200mA	Bailey BP36600201	7476 USA






EBR.xxx



66.xxx


T 1 3/4	W2.1x9.5d	Light Bulbs with Wedge Base		
Order No	Voltage	Current / Power	Number	US Number
52.06300	6V	300mA		2509
ECD.0633		333mA / 2W	Bailey WB28063331	2501
52.06920		2W	Bailey WB28063331	2501
52.06930		3W	Bailey WB28065001	
52.06950	6.3V	5W	Bailey WB28068301	
52.63200		200mA		
52.63250	9.6V	250mA	Bailey WB28062501	259
52.09270	12V	270mA		
ECD.1216		166mA / 2W		Osram 2820
52.12930		3W	Bailey WB28122501	504
52.12950		5W	Bailey WB28124001	501
52.24910	24V	1W		
ECD.2408		83mA / 2W	Bailey WB28240801	
52.24930		3W	Bailey WB28241251	
52.24940		4W	Bailey WB28241651	
52.28040	28V	40mA		
52.28060		60mA	Bailey WB28280601	656
ECD.3605	36V	56mA / 2W		
ECD.4804	48V	42mA / 2W		






T 1 3/4	WT	Light Bulbs (Wire Terminal WT)		
Order No	Voltage	Current / Power	Number	US Number
EAZ.0235	2.5V	350mA / 875mW	Bailey WE06023501	
63.05015	5V	15mA	Bailey WE06050151	
63.05060		60mA	Bailey WE06050601	2200
63.05115	6V	115mA		
EAZ.0604		40mA / 240mW	Bailey WE06060401	1730
EAZ.0610		100mA / 600mW	Bailey WE06061001	714
EAZ.0620		200mA / 1.2W	Bailey WE06062001	1784
63.63200	6.3V	200mA	Bailey WE06062002	2181
EAZ.1204	12V	40mA / 480mW	Bailey WE06120401	2174
EAZ.1206		60mA / 720mW	Bailey WE06120601	
EAZ.1402	14V	20mA / 280mW		
EAZ.1408		80mA / 1.12W	Bailey WE06140801	2182
EAZ.1804	18V	40mW / 720mW	Bailey WE06180401	2102
EAZ.2405	24V	50mA / 1.2W	Bailey WE06240501	2176
EAZ.2804	28V	40mA / 1.12W	Bailey WE06280401	2185
63.32040	32V	40mA		
EAZ.3603	36V	30mA / 1.08W		
EAZ.4820	48V	20mA	Bailey WE06480201	FW48
EAZ.4802		25mA / 1.2W		
63.48030		30mA		
EAZ.6002	60V	20mA / 1.2W	Bailey WE06600201	FW60





EAZ.xxx



63.xxx

T 1 3/4	WT	Glow Lamps (Wire Terminal WT)		
Order No	Voltage	Current / Power	Number	US Number
70.84001	90V			NP2L

		Glow Lamps (WT Wire Terminal)		
Order No	Voltage	Description		
ENE.2	55-67V	without resistor		
ENE.2F	95V	without resistor		
ENE.2R	220V	with resistor		

Projector Lamps					
Order No	Voltage	Current / Power	Dimensions	Socket (Type)	
89.06080	6V	800mA	17.5 x 68mm	P28s (Philips 3873C/23)	
89.06145		1.45A	25 x 72mm	EKG (Philips 3871R/23)	
89.06500		5A	19 x 58mm	SX15s (Philips 6103)	
HLX.64627	12V	100W	42 x 50mm	GZ6.35 (HLX64627)	
87.20150	20V	150W	43 x 50mm	GX5.3 (Philips 13094)	
87.36934	36V	340W	47 x 50mm	GX5.3 (GE 41874 ERV)	
87.11975	110V	750W	38 x 141mm	P28 (Seiko SP-12)	
87.11910		1000W	38 x 141mm	P28 (Seiko SP-12)	
87.22976		750W	38 x 141mm	P28 (Seiko SP-12)	
87.22910	220V	1000W	38 x 141mm	P28 (Seiko SP-12)	
89.22500	250V	500W	40 x 210mm	E40	

G4 Halogen Light Bulbs (Low Voltage)					
Order No	Voltage	Current / Power	Dimensions	Number	
87.06710	6V	10W	9.5 x 31mm	Bailey P006ESA/02	
87.06920		20W	9 x 29mm	JC FHE	
HG4.006.035		35W	8 x 30mm	Bailey HG4006035F	
87.12905	12V	5W	9 x 33mm	Bailey HG40120053X/02	
HG4.012.010		10W	8 x 30mm	Bailey HG4012010	
HG4.012.020		20W	8 x 30mm	Bailey HG4012020	
HG6012100		100W	11.5x44mm		
HG4.24010	24V	10W	8 x 30mm	Bailey HG4024010	
HG4.024.020		20W	8 x 30mm	Bailey HG4024020	

GY Halogen Light Bulbs					
Order No	Voltage	Current / Power	Dimensions / Socket	Number	
87.12935	12V	35W	12 x 44mm / GY6.35	Osram 64432	
87.12951		50W	10 x 38mm / GY6.35	Osram 64440	
87.12950		50W	12 x 44mm / GY6.35	Philips 13079	
87.23940	22.8V	40W			
87.23950		50W	11 x 41mm / GY6.35	BT018566	
87.24950B	24V	Oven light bulb	11 x 33mm / GY6.35	Bailey 145660	
87.24951		50W	11 x 45mm / GY9.5		
87.24251		250W	13.5 x 47mm / GY6.35	Philips 7748XHP	
HY6.024.250K	240V	250W	15 x 54mm / GY6.35	HY6024250X	
HY6.240.075		75W	GY6.35		
HY6.240.100		100W	GY6.35		
HY6.240.150		150W	14 x 54mm / GY6.35	HY62400150	
GZ + GX Halogen Light Bulbs with Reflector					
Order No	Voltage	Current / Power	Dimensions / Socket	Number	
87.12952	12V	50W	50 x 50mm GX5.3/GU5.3	EXN (22314)	
HLX.64627		100W	42 x 50mm /GZ6.35		

See projector lamps above: For more halogen bulbs with reflector

R7s Halogen Light Bulbs					
Order No	Voltage	Power	Dimensions	Number	
87.22975	22.8V	75W	10 x 36mm		
87.22750	230V	750W	11 x 189mm		
87.21000		1000W	11 x 189mm		

Fluorescent Bulbs					
Order No	Voltage	Power	Dimensions	Number	
84.22906	220V	6W	16 x 212mm	TL6W/33	
84.23908		8W	16 x 288mm	TL8W/96	
Starter for Fluorescent Bulbs					
Order No	Voltage	Power			
89.00010	220V	4 – 65W			

SF Fuse Type Pilot Lamp (6.3x30mm)					
Order No	Voltage	Current	Power	Number	
ECF.0610	6V	100mA	600mW	Bailey SF3106100	
ECF.0620		200mA	1.2W	Bailey SF3106200	
ECF.0630		300mA	1.8W	Bailey SF3106300	
ECF.0810	8V	100mA	800mW	Bailey SF3108100	
ECF.0825		250mA	2W	Bailey SF3108250	
ECF.0830		300mA	2.4W	Bailey SF3108300	
ECF.1206	12V	60mA	720mW		
ECF.1210		100mA	1.2W	Bailey SF3112100	
ECF.1408	14V	80mA	1.12W		
ECF.1415		150mW	2.1W		

Ø 6mm	Festoon Light Bulbs			
Order mm	Voltage	Current / Power	Length	Number
90.11203	12V	3W	31mm	Bailey S63112250
90.12403	24V	3W		Bailey S63124125
90.61203	12V	3W	36mm	Bailey S63612003
90.81203	12V	3W	38mm	Bailey S63912003
90.82403	24V	3W		Bailey S63924003
Ø 8mm	Festoon Light Bulbs			
Order No	Voltage	Current / Power	Length	Number
91.81202	12V	2W	29mm	Bailey (S72812002)
91.82405	24V	5W		Bailey (S72824005)
S73.10.60.03	6V	3W	31mm	Bailey S73106003
91.10603	6V	3W		Bailey S73112003
S73.11.20.03	12V	3W		Bailey S73112005
S73.11.20.05	12V	5W		Bailey S73124003
S73.12.40.03	24V	3W		Bailey S73124005
S73.12.40.05	24V	5W		Bailey S73132003
91.13203	32V	3W		Bailey S73606003
91.606500	6V	3W	36mm	(Bailey S73906003)
91.90603	6V	3W	38mm	(Bailey S73912003)
91.91203	12V	3W		
Ø 10.5mm	Festoon Light Bulbs			
Order No	Voltage	Current / Power	Length	Number
86.24918	24V	18W	41mm	Philips 13807
Ø 11mm	Festoon Light Bulbs			
Order No	Voltage	Current / Power	Length / Colour	Number
92.924002	24V	2W	38mm	(Bailey S83924002)
92.91219	12V	10W	39mm	Bailey S83912010
92.93005	30V	5W		Bailey S83930005
92.40603	6V	3W	44mm	Bailey S84406003
92.424003	24V	3W	44mm / green	Bailey S84424003G
92.424005	24V	5W	44mm	Bailey S84424005
92.424005G	24V	5W	44mm / green	Bailey S84424005G
92.424005R	24V	5W	44mm / red	Bailey S84424005R
Ø 15mm	Festoon Light Bulbs			
Order No	Voltage	Current / Power	Length	Number
86.12918	12V	18W	41mm	Osram 6475
93.12905	12V	5W	44mm	Bailey S84512005
93.12910	12V	10W		Bailey S84512010
93.28905	28V	5W		
93.60905	60V	5W		Bailey S84560005
Car Light Bulbs				
Order No	Voltage	Current / Power	Size	Socket / Number
86.12918	12V	18W	15.5 x 41mm	SV8.5-8 / Osram 6475
86.24918	24V	18W	10.5 x 41mm	SV8.5-8 / Philips 13807
86.06960	6V	1A / 6W	15 x 28mm	E10
09.12906	12V	6W	15 x 28mm	Ba9s
86.06910	6V	10W	13 x 34mm	Ba15s
86.12919	12V	18W	25x48mm	Ba15s
86.12921	12V	21W	26 x 52mm	Ba15s
86.06915	6V	15W	18 x 53mm	Ba15d
74.12950	12V	5W	16 x 54mm	17420120
72.12911	12V	10W	18 x 35mm	Ba15d
75.24950	24V	5W	16 x 48mm	Ba15d
86.01009	5.9V	37.5W	35 x 54mm	P15s / P30s
H412V55W PR	12V	55W/60W		P43t / Philips 12342PR
86.12960	12V	60W	34 x 72mm	P45t / Focus
86.24960	24V	60W	34 x 72mm	P45t / Focus
86.24120	24V	120W	13 x 41mm	X514/JC24V120WX514
86.24130	24V	130W	9 x 31mm	X514 / LLB495







T4.5		4.5 x 16.5mm		Telecommunication Lamps (Telephone Lamps)	
Order No	Voltage	Current		Number	
45.06050	6V	50mA		Bailey T4506050	
45.06070		70mA		Bailey T4506070	
45.12020	12V	20mA		Bailey T4502020	
45.12040		40mA		Bailey T4502040	
45.16060	16V	60mA			
45.24020		20mA		Bailey T4524020	
EBU.2405K	24V	50mA		Bailey T4524050	
45.24050		50mA		Bailey T4524050	
45.30020	30V	20mA		Bailey T4530020	
45.30040		40mA		Bailey T4530040	
45.36020	36V	20mA		Bailey T4536020	
45.60020	60V	20mA		Bailey T4560020	
45.110NE	110V	1.5A	Neon		
T4.6		4.6 x 22mm		Telecommunication Lamps (Telephone Lamps)	
Order No	Voltage	Current	Power	Number	 
EBU.0602	6V	20mA	120mW	Bailey T4606020	
46.06040		40mA		Bailey T4606040	
EBU.0605		50mA	300mW	Bailey T4606050	
EBU.0610		100mA		Bailey T4606100	
EBU.0620	12V	200mA	1.2W	Bailey T4606200	
EBU.1202		20mA	240mW	Bailey T4612020	
EBU.1204		40mA	480mW	Bailey T4612040	
46.12050		50mA		Bailey T4612050	
46.12080	18V	80mA			
46.12100		100mA		Bailey T4612100	
EBU.1802		25mA	450mW	Bailey T4618025	
EBU.2402		20mA	480mW	Bailey T4624020	
46.24030	24V	30mA		Bailey T4624030	
EBU.2404		40mA		Bailey T4624040	
EBU.2405K		50mA	1.2W	Bailey T4624050	
46.28020		20mA		Bailey T4628020	
46.28040	28V	40mA		Bailey T4628040	
46.28050		50mA			
46.30020	30V	20mA		Bailey T4630020	
46.30040		40mA		Bailey T4630040	
46.30050		50mA			
EBU.3602	36V	20mA	720mW	Bailey T4636020	
EBU.4802	48V	20mA	960mW	Bailey T4648020	
EBU.6002	60V	20mA	1.2W	Bailey T4660020	
46.70020	70V	20mA		Bailey T4670020	
46.220NE	220V	500mA	Neon		
T5.5K		5.4 x 22mm		Telecommunication Lamps (Telephone Lamps)	
Order No	Voltage	Current	Power	Number	
54.06100	6V	100mA		Bailey T5606100	
54.06200		200mA		Bailey T5606200	
54.12020	12V	20mA		Bailey T5612020	
EBW.1204K		40mA		Bailey T5612040	
54.12040		40mA		Bailey T5612040	
54.12100		100mA		Bailey T5612100	
54.24020	24V	20mA		Bailey T5624020	
54.24025		25mA			
54.24030		30mA		Bailey T5624030	
54.24040		40mA		Bailey T5624040	
54.24050	28V	500mA		Bailey T5624050	
54.28040		40mA		Bailey T5628040	
54.28050		50mA		Bailey T5628050	
54.30020		20mA		Bailey T5630020	
54.30040	30V	40mA		Bailey T5630040	
54.36020		36V	20mA		
54.48020	48V	20mA		Bailey T5648020	
54.60020	60V	20mA		Bailey T5660020	
54.110NE	110V	1.5A	Neon		
54.220NE	220V	1.5A			
Multi LED					
Order No	Voltage	Description			
86.2124G	24V	With 4 green LED			
86.2124R		With 4 red LED			
86.2124A		With 4 yellow LED			


T5.5	5.4 x 30mm	Telecommunication Lamps (Telephone Lamps)		
Order No	Voltage	Current	Power	Number
EBW .0602	6V	20mA	120mW	Bailey T5506020
55.06040		40mA		Bailey T5506040
EBW .0605		50mA	300mW	Bailey T5506050
EBW .0610		100mA	600mW	Bailey T5506100
EBW .0620	12V	200mA	1.2W	Bailey T5506200
EBW .1202		20mA	240mW	Bailey T5512020
55.12040		40mA		Bailey T5512040
EBW .1205		50mA	600mW	Bailey T5512050
55.12080	18V	80mA		Bailey T5512080
EBW .1210		100mA	1.2W	Bailey T5512100
EBW .1802		25mA	450mW	Bailey T5518025
EBW .2402		20mA	480mW	Bailey T5524020
55.24030	24V	30mA		Bailey T5524030
55.24040		40mA		Bailey T5524040
EBW .2405		50mA	1.2W	Bailey T5524050
EBW .2802		20mA	560mW	Bailey T5528020
EBW .2804	28V	40mA		Bailey T5528040
55.28040		40mA		Bailey T5528040
EBW .2805		50mA	1.4W	Bailey T5528050
55.30020		200mA		Bailey T5530020
55.30040	30V	40mA		Bailey T5530040
55.30050		50mA		Bailey T5530050
EBW .3602		20mA	720mW	Bailey T5536020
EBW .3603		35mA	1.26W	(Bailey T5536030)
55.36040	36V	40mA		Bailey T5536040
55.36050		50mA		Bailey T5536050
55.42020		42V	20mA	
EBW .4802	48V	25mA	1.2W	Bailey T5548025
55.48030		30mA		Bailey T5548030
55.48040		40mA		
55.55020		55V	20mA	
EBW .6002	60V	20mA	1.2W	Bailey T5560020
55.60030		30mA		Bailey T5560030
55.60040		40mA		
55.70020		70V	20mA	Bailey T5570020
55.110GF	110V	1.5A	Fluorescent with integrated resistor	
EBW .G110NE		1.5A	Neon lamp	Bailey NT30110GC
EBW .G220		1.5A	Glow lamp with built in resistor	
EBW .G220G		1.5A	Fluorescent lamp	
86.3024R	24VDC	With 4 red chip LED		




T6.8	6.8x44mm 6.8x46.5mm	Telecommunication Lamps (Telephone Lamps)		
Order No	Voltage	Current	Power	Number
68.06020	6V	20mA		Bailey T6806020
EBT.0602	20mA		Bailey T6806020	
68.06040	40mA		Bailey T6806040	
EBT.0604	40mA	240mW	Bailey T6806040	
68.06050	12V	50mA		Bailey T6806050
EBT.0605	50mA	300mW	Bailey T6806050	
EBT.0610	100mA	600mW	Bailey T6806100	
EBT.0620	200mA	1.2W	Bailey T6806200	
EBT.1202	24V	20mA	240mW	Bailey T6812020
EBT.1204	40mA		Bailey T6812040	
EBT.1205	50mA	600mW	Bailey T6812050	
EBT.1210	100mA	1.2W	Bailey T6812100	
68.12120	28V	120mA		Bailey T6812120
EBT.2402	20mA	480mW	Bailey T6824020	
68.24040	40mA		Bailey T6824040	
EBT.2405	50mA	1.2W	Bailey T6824050	
68.24080	30V	80mA		Bailey T6824080
EBT.2804	40mA	1.26W	Bailey T6828040	
68.30020	20mA		Bailey T6830020	
EBT.3004	40mA		Bailey T6830040	
68.30050	36V	50mA		Bailey T6830050
EBT.3602	20mA	720mW	Bailey T6836020	
EBT.3603	35mA	1.26W	Bailey T6836035	
68.36040	40mA		Bailey T6836040	
68.36050	42V	50mA		Bailey T6836050
68.42020	20mA			
EBT.4802	25mA	1.2W	Bailey T6848025	
68.48040	48V	40mA		Bailey T6848040
68.48050	50mA		Bailey T6848050	
EBT.6002	20mA	1.2W	Bailey T6860020	
68.60040	60V	40mA		Bailey T6860040
68.60050	50mA		Bailey T6860050	
68.60060	60mA		Bailey T6860060	
68.70020	70V	20mA	Bailey T6870020	
68.110NE	110V	1.5A	Glow lamp with integrated resistor	
68.220GF	220V	1.5A	Fluorescent with integrated resistor	
68.220NE	1.5A			
EBT.G220	1.5A	Neon for green lenses		
86.4124A	24VDC	With 6 amber LED		
86.4124G	With 6 green LED			
86.4124R	With 6 red LED			



Glow Lamps (with 150mm Cable)				
Order No	Voltage	Cut Out	Colour	Number
ESE.A64	220VAC	6mm	yellow transparent	
ESE.A65		6mm	green transparent	
ESE.A69		6mm	clear transparent	
ESE.A62		6mm	red transparent	
Glow Lamps (with Fast-On 6.3x0.8mm)				
Order No	Voltage	Cut Out	Colour	Number
ESE.C104	220VAC	10mm	yellow transparent	
ESE.C105		10mm	green transparent	
ESE.C102		10mm	red transparent	
Glow Lamps (with Fast-On 6.3x0.8mm)				
Order No	Voltage	Cut Out	Colour	Number
ESE.D134	220VAC	13mm	yellow transparent	Everel SX43
ESE.D135		13mm	green transparent	Everel SX43
ESE.D132		13mm	red transparent	Everel SX43
ESE.D104		13mm	red transparent	Everel SX43
Indicator Lights (with Fast-On 6.3x0.8mm)				
Order No	Voltage	Dimension	Colour	Number
SAN.85143	230V	14 x 43mm	yellow	
SAN.BGL22		22 x 30mm	red	
SAN.85002		22 x 30mm	yellow	









Ba9s			Light Bulb Sockets	
Order No	Socket	Description		
EEU.B9	Ba9s	with solder tags		
EEO.B9	Ba9s	with solder tags		
EFA.B9	Ba9s	with solder tags		
EFB.B9	Ba9s	with solder tags		
EEA.B9	Ba9s	Vertical PCB mounting		
E5.5			Light Bulb Sockets	
EEA.M5K	E5.5	insulated		
EEA.M5	E5.5	not insulated		
E10			Light Bulb Sockets	
Order No	Socket	Description		
EEA	E10	with solder tags		
EHA	E10	with solder tags		
EHA.H1	E10	mounting piece fits EHA		
EFA	E10	with solder tags		
EEG	E10	with solder tags		
EGA.0	E10	screw terminal		
EEO	E10	with solder tags		
EFB	E10	with solder tags		
E10			Signal Lamp Holder	
Order No	Socket	Description		
ESB.6	E10	blue		
ESB.9	E10	clear		
ESB.5	E10	green		
ESB.3	E10	orange		
ESB.2	E10	red		

W2x4.6d		Light Bulb Sockets				
Order No	Socket	Description				
EIB	W2x4.6d	PCB mounting for wedge base T1-½				
ECC.xxx suitable light bulbs (see page 10)						
Halogen		Light Bulb Sockets				
Order No	Socket	Description				
EHF.G4P	G4	sockets with 150mm cable for halogen light bulbs				
EHF	G4, G5.3, 6.35	sockets with 140mm cable for halogen light bulbs				
EHF.G4P EHF						
TH25		Indicator Lamps				
Order No	Suitable Lenses					
	blue	yellow	green	orange	red	clear
ESP	SAL.RK6	SAL.RK4		SAL.RK3	SAL.RK2	SAL.RK9
EBP.xxx or 33.xxxx (see page 9) or 5mm LED suitable light bulbs						
TH5 + TH25		Indicator Lamps				
Order No	Suitable Lenses					
	blue	yellow	green	orange	red	clear
ESM.A	SAL.AK6	SAL.AK4	SAL.AK5	SAL.AK3	SAL.AK2	SAL.AK9
ESM.AA	SAR.AK6	SAR.AK4	SAR.AK5	SAR.AK3	SAR.AK2	SAR.AK9
EBM.xxx or 65.xxxx are suitable light bulbs (see page 12)						
Order No	Suitable Lenses					
	blue	yellow	green	orange	red	clear
ESM.B	SAL.BK6	SAL.BK4	SAL.BK5	SAL.BK3	SAL.BK2	SAL.BK9
EBM.xxx or 65.xxxx are suitable light bulbs (see page 12)						
Order No	Suitable Lenses					
	blue	yellow	green	orange	red	clear
ESM.C	SAL.CK6	SAL.CK4	SAL.CK5	SAL.CK3	SAL.CK2	SAL.CK9
ESW.AC	SAR.CK6	SAR.CK4	SAR.CK5	SAR.CK3	SAR.CK2	SAR.CK9
EBM.xxx or 65.xxxx are suitable light bulbs (see page 12)						
T4.6		Signal Lamps (with solder terminal)				
Order No	Colour	Ø	Suitable Light Bulbs			
ESU.4	yellow	11mm	EBU.xxx or 46.xxxx are suitable light bulbs (see page 12)			
ESU.9	clear					
ESU.2	red					
Subminiature Lamps (fits T¾ Micro Midget Flange Light Bulbs)						
Order No	Colour	Description	Description			
ESX.6	blue	PCB mounting	EBX.xxx or 26.xxxx are suitable light bulbs (see page 8)			
ESX.4	yellow					
ESX.5	green					
ESX.9	clear					
ESX.2	red					
Signal Lamp solder (fits T¾ Micro Midget Flange Light Bulbs)						
Order No	Colour	Ø	Suitable Light Bulbs			
ESX.9	clear	8mm	EBX.xxx or 26.xxxx are suitable light bulbs (see page 8)			

Signal Light Lenses (for incandescent bulbs and glow lamps)

Order No	Colour	Description				
ESD.FD174	yellow	Arrow				
ESD.FD179	clear					
ESD.FD172	red					
ESD.FD175	green					
ESD.FC144	yellow	Square 14x14mm				
ESD.FC145	green					
ESD.FC149	clear					
ESD.FC142	red					
ESD.FA124	yellow	Round 12mm				
ESD.FA125	green					
ESD.FA129	clear					
ESD.FA122	red					
ESD.FG53.4	yellow	Round 15mm				
ESD.FG53.9	clear					
ESD.FG53.5	green					
ESD.FG53.2	red					
			ESD.xxxx suitable light bulbs (see page 14)			
						